

2501-330652-04-02-589547

---

2500

---

---

---



..... 1

..... 24

..... 42

..... 51

..... 85

..... 88

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10

- 1 " "
- 2
- 3
- 4
- 5

6 MSDS

7

8


	2500					
	2501-330652-04-02-589547					
				18888739867		
	56			7		
	120	37	31.717	30	5	13.065
	C3982			398		
/			/	2501-330652-04-02-589547		
	4034.71			90		
%	2.2			3		
			m <sup>2</sup>	4260		
	1.1-1					
	[a]			[a]		
	500					



	2013-2020	2021-2030	2030
1		" "	
30.0	2020 4.0	2030 2.0	34.0 47.0
45.0	2020 95.7%	75.0%	2030
2			
1	" "		



	2				
		"		"	
	"	"	66.2		
	"	"	329		
	"	"			" "
	"	"			
		"			"
	2				
		1"	"	329	
	"			0602- -0-4"	
					1.1-2

1.1-2					
329		0602-0-4			
		2"		"	
				56	
		3"		"	
		4"		"	
		5"		"	1.1-3
1.1-3					
329					50
"				3.5g/L	

0602- -0-4"					
			DMF		
			VOCs >420g/L		

6"

"



3

56

[2024]36

ZH33060220001

1.1-4

1.1-4

		2024	
		2025	
		C3982 [2024]36 1	
		56 7	

		" "	
		" "	

" " 1.1-5  
 1.1-5 " "

		56

		ZH33060220001	

4

56

7

5

" "

1.1-6

" "

1	)	VOCs VOCs ( VOCs VOCs	ZH33060220001 GB/T 38597-2020 GB 33372-2020 GB38508-2020 2.2.4-2 VOCs
2	( )	“ ” ( )	

		VOCs  VOCs  VOCs 2	1.1-4  VOCs 1 2	
	3			
	4	VOCs  ( )  VOCs  VOCs	GB/T 38597-2020  GB 33372-2020  GB38508-2020  2.2.4-2 VOCs	
	5	VOCs  VOCs  "	" "  ( [2021]10 ) 1 C3982 VOCs	



		VOCs 2025 (5000-3) 70% 60%	VOCs VOCs VOCs	VOCs 60%	
10		“ ” VOCs VOCs		“ ” VOCs VOCs	
11		VOCs	( )	VOCs	
<b>6</b>					
	1.1-7			-	
1		UV		38597-2020 GB/T	
2					

VOCs

VOCs

UV

VOCs

3

HJ 944  
VOCs

VOCs

		<p>30 / 2025 60 / 100 / “ ” VOCs ”“ ” “ ” VOCs</p>		
	4	<p>A “ ” 2023 3 B (LDAR) 3 VOCs VOCs VOCs</p>		
	5	<p>2023 3</p>		

		“ ”	
6		<p>2023</p> <p>“ ” 2025 6</p> <p>2022 12</p> <p>35 /</p> <p>“ ”</p> <p>( )</p> <p>A</p>	
7		<p>B</p> <p>A B</p>	
8		<p>VOCs</p> <p>2023 8</p> <p>VOCs 2025</p> <p>VOCs</p> <p>2023 3</p> <p>“ ”</p> <p>2023 8</p>	VOCs

		2025	
<b>8</b>			(2020 )
			3.5
<b>9</b>			( 2022 )
1.1-9			( 2022 )
1			
2			

3	( )  I	ZH33060220001	56
4			56
5			56
6	( ) ( )  ( ) ( ) ( ) ( ) ( ) ( )  ( ) ( )  ( )		56

	7		56
	8		56
	9		56
	10		
	11		
	12		
	13		56
	14		
	15	( )	
	16	( )	" " ( 2501-330652-04-02-589547)
	17		

18			56
<b>10</b>	“	”	
			682 2017 07
16	“	”	
1.1-10	“	”	
		56	
		ZH33060220001	

			“ ”	
<b>11</b>		<b>2023</b>		<b>2023</b>
<b>12</b>			( [2024]11 )	
	1.1-11		( )	
		2024		
		(SCR) 2025 6 2024 ,2027		
	VOCs	VOCs		
	VOCs		GB/T 38597-2020	
	VOCs		GB 33372-2020	
	VOCs		GB38508-2020	

2.2.4-3  
VOCs

" "

" ' "

VOCs

VOCs  
VOCs ( )  
s

"  
VOCs

VOCs

2024  
( )  
(LDAR)  
VOCs

F

**2.1**

2005 07 08

1

2010 5

200

( [2010]92 )

2010 9 13

2010 171

56

7

SMT

2500

2501-330652-04-02-589547)

(

(GB/T 4754-2017)

C3982

2021

2.1-1

2.1-1

2.1-1				
<b>39</b>				
81	398			/

**2021**

**39**

398		“	”
2.2			
2.2.1			2.2.1-1
		2.2.1-1	
		2500	
			/
		56	/
			/
	4034.71	4034.71	/
	2034.71	1000	/
	1000		
	SMT	200 /	
	2500 /		/
	/UV		
	300		
	300h/a	3600h/a	/
	400	500h/a	
		200	
		7	
	16946.1	4	
	IQC	ROHS	

	1	420m <sup>2</sup>	1		
	1617m <sup>2</sup>	1	108m <sup>2</sup>		
	38.5m <sup>2</sup>	22m <sup>2</sup>	36m <sup>2</sup>		
			/UV		
			" "		
	DA001				
	30 m <sup>2</sup>	1	30m <sup>2</sup>	1	

2.2.1-2

			m <sup>2</sup>
1			765
2			1742
3	DIP)		1390
4	SMT)		1430

2.2.2

2.2.2-1

2.2.2-1

	( / )	( / )	( / )	
	200	2500	+2300	
	200	2500	+2300	0.15m*0.15 m

SMT

200 /

2500 /

/UV

2.2.2-2

	/			
	750	300		
		450		
		600		
/UV	580	200	UV380	UV
	810	5	500	
		300	5	

**2.2.3**

SMT

56

7

2010

2.2.3-1

2.2.3-2

2.2.3-1

2.2.3-2

**2.2.4**

**2.2.4.1**

2.2.4-1

	<p data-bbox="491 248 587 286">2.2.4-1</p> <p data-bbox="1034 376 1104 414">SMT</p> <p data-bbox="327 562 352 600">A</p>
--	--



MSDS

2.2.4-3

2.2.4-3

	0	32		/	LD <sub>50</sub>
° F			18255.6 mg/kg	4g/kg	LD <sub>50</sub>
				2.5g/kg	

1.20 ± 10% g/cm<sup>3</sup>  
0-10

25 2.0 pH  
7.5

	0.81 ± 0.01	20
	12	
% V/V	7.99%	
% V/V	1.72%	

LD50 1790mg/kg  
3200mg/kg  
LC50  
LD50 5000mg/kg  
3600mg/kg  
6410mg/kg  
12800mg/kg

UA

			1580mg/kg
	1.65± 0.05g/cm <sup>3</sup>		LD50 7460 uL/kg
	>200 >200 >400 ) 1.75g/ml(40	LD50>1200mg/kg	A (LD50) - - 13,600 mg/kg (LD50) - - - > 2,000 mg/kg
	pH 7.0± 0.5 25 0.98 460 78		LD50 5620 mg/kg( ) 4940 mg/kg( ) LC50 5760mg/m <sup>3</sup> 8 ( ) LD50 5800 mg/kg( ) 20000 mg/kg( ) (LD50) - - - 2,800 mg/kg (LD50) - - - > 2,000 mg/kg
	25 1.4~1.5g/cm <sup>3</sup>		
	0.9439± 0.02g/ml -61 152± 2 2.51 445 15.2% 2.2%		N,N- LD50 400mg/kg LC50 9400mg/m <sup>3</sup> 4720mg/kg
	0.88± 0.05g/cm <sup>3</sup> 70-90 244 -20		LD50 13000mg/kg LD50 6400mg/kg LC50 45900mg/m <sup>3</sup> 6# LD50 28710mg/kg LD50 7060mg/kg LD50 7430mg/kg LC50 37620mg/m <sup>3</sup>

	<b>2.2.5</b>		2.2.5-1			
			2.2.5-2	VOC		
	<b>2.2.6</b>			9		
	<b>2.3</b>			/UV		
			2.3-1		2.3-1	
	1)				/	
	2)	/				
		/		PCB		
	3)				PCB	
	4)			PCBA		
			50--160		160-210	210-250
	180-50		PCBA	/	-	

5) AOI  
PCBA

PCBA

6) AI

DIP

PCB

		/UV	VOCs
			VOCs
			COD <sub>Cr</sub>
		/UV	

2.5.1

2005 7

2.5.1-1

2.5.1-1

1	2010 5	200	200	[2010]92	2010 9	/
					2010 171	

91330600776608451E001W

COD<sub>Cr</sub> 500mg/L

DB33/887-2013

35mg/L

COD<sub>Cr</sub> 0.733 / NH<sub>3</sub>-N 0.064 /

COD<sub>Cr</sub>

COD<sub>Cr</sub>

80mg/L

10mg/L COD<sub>Cr</sub> 0.147t/a 0.018t/a  
200

VOCs 0.2t/a  
VOCs 0.588t/a

2.5.1-2

t/a		t/a	
	COD <sub>Cr</sub>	NH <sub>3</sub> -N	VOCs
1832.8	0.147	0.018	0.588

COD<sub>Cr</sub>

97.1% VOCs 0.388t/a 0.4t/a

2.5.2

1

2.5.2-1 2024

2.5.2-1

		/ )	2024.1.1-2024.12.31 /
1		200	198
		200	198

2

2.5.2-2

			2024	/
1		200	210	60P/Tray
2		170	175	10000P/
3		200	225	200P/
4		840	865	10000P/
5		420	450	10000P/
6		2.8	3.1	20kg/
7		0.4	0.38	16kg/
8		0.2	0.2	16kg/


2.5.3

2.5.3-1

2.5.3-1

			( / )			
1		/	4	4	4	
2		/	4	4	4	
3		/	7	7	7	
4		/	2	2	2	
5		/	2	2	2	
6		/	2	2	2	
7		/	2	2	2	
8		/	2	2	2	

2.5.4



2.5-1

1

2 PCB

PCB

3

PCB

4

5

PCB

PCB

6

7

8

2.5.5

2.5.5.1

1

350

50L/d

4375t/d

85%

3718.75t/a

2

( 2024(HJ)080680 2024 8

22 )

2.5.5-2

2.5.5-2 mg/L(pH )

2024 08 22

01RD10101 01RD10102 01RD10103

pH 7.1 33.9 7.2 34.5 7.1 34.3 6~9

152 143 138 500

(

¥0!Yf

(GB8978-1996)

DB33/887-2013

3

2.5.5-3

2.5.5-3

2.5.5-3

	t/a	3718.75	3718.75
CODcr	mg/L	144	80
	t/a	0.536	0.298
NH <sub>3</sub> -N	mg/L	31.6	10
	t/a	0.118	0.037

2.5.5.2

1

2024(HJ)120696 2024 12 23 )

2.5.5-4

/	/	/
m	20	/
/	2024 12 23	/
m <sup>2</sup>	0.4	/
	21	/

		kg/h	8.27× 10 <sup>-4</sup>	0.52	
--	--	------	------------------------	------	--

(DB16297-1996) 2 8.27×  
10<sup>-4</sup>kg/h 2000h  
0.0017t/a 0.0028t/a

**2.5.5.3**

2.5.5-6

2.5.5-6

					2024	
					(t/a)	
1				900-002-S17	39.84	
2				900-003-S17	57	
4				900-099-S59	0.03	
4				/	14.4	

**2.5.5.4**

( 2024(HJ)110554 2024 11 19-20 )

2.5.5-7

2.5.5-7

Leq(A) dB

1#		64		49		65	55
2#		64		54		65	55
3#		56		55		65	55

GB12348-2008 3

**2.5.5.5**

2.5.5-8 2024

2.5.5-8

				2024	
		VOCs(t/a)		0.569	
		(t/a)		0.0017	
		(t/a)		3718.75	
		CODcr(t/a)		0.959	
		(t/a)		0.120	
		(t/a)		39.84	
		(t/a)		57	
		(t/a)		14.4	
1	VOCs	2024	0.38t/a		
	97.1%	VOCs	0.369t/a	0.2t/a	VOCs
	0.569t/a				
		0.4t/a	97.1%	VOCs	
	0.388t/a	0.2t/a	VOCs	0.588t/a	VOCs
2	<			>	(
	[2014]197	)			

2.5.6

2.5.6-1

2.5.6-1

	( )/			
			6 /h	



**3.1.1**

**3.1.1.1**

2023

3.1-1

3.1-1

		( $\mu\text{g}/\text{m}^3$ )	( $\mu\text{g}/\text{m}^3$ )	(%)	
SO <sub>2</sub>		6	60	10.0	
	98	10	150	6.7	
NO <sub>2</sub>		26	40	65.0	
	98	59	80	73.8	
PM <sub>10</sub>		49	70	70.0	
	95	98	150	65.3	
PM <sub>2.5</sub>		30	35	85.7	
	95	65	75	86.7	
CO	95	900	4000	22.5	
O <sub>3</sub>	8	160	160	100.0	
	90				

2023

(GB3095-2012)

**3.1.1.2**

TSP

(2024) 0426211

( )

"

5

3

"

(1)

3.1-2

### 3.1.3

"

	X	Y							/m
	270928.861	3330522.024		~1738					310
	271177.567	3330439.509		~600					320
	270756.128	3330326.908		~1284					560
	270922.195	3330300.844		~500					520
	2							50	
	3	500							
<b>3.3</b>									
<b>3.3.1</b>									
1									
DA001									
VOCs									
DB33/2146-2018	1							3.3-2	
GB16297- 1996		2							
PCB									
DB33/2146-2018									

3.3-1 DA001 ( mg/m <sup>3</sup> )					
1			1000		DB33/2146-2018
2	(NMHC)		80		
3	TVOC		60		
3.3-2 DA001 ( mg/m <sup>3</sup> )					
		GB16297- 1996			
			mg/m <sup>3</sup>	kg/h	
		15	120	3.5	
		15	8.5	0.31	
		15	5.0	0.15	
2					
VOCs					
DB33/2146-2018					
GB16297- 1996 2					
3.3-3					
		mg/m <sup>3</sup>			
1	VOCs		4.0		DB33/2146-2018
2			20		
3		/	1.0		GB16297- 1996
4		/	0.24		
5		/	0.04		
VOCs					
GB37822-2019 3.3-4					
		mg/m <sup>3</sup>			
NMHC		6	1h		
		20			

### 3.3.2

GB8978-1996 4

DB33

887-2013

[2017]57

GB/T31962-2015

91330621736016275G001V

3.3-5

pH mg/L

pH	6-9	6-9
(COD <sub>Cr</sub> )	500	80
(BOD <sub>5</sub> )	300	20
	400	80

(2025 ) (GB5085.7-2019)  
 ( 2024 4 )  
 GB18599-2020 ( )  
 (GB18597-2023)

**3.4**

COD

< >  
 ( [2014]197 )

VOCs

**3.4.1**

3.4-1

3.4-1

			“ ”				
					/		
	t/a	1832.8	1832.8	10200	10200	10200	8367.2
COD(t/a)		0.916	0.916	5.100	5.100	5.100	4.184
		0.147	0.147	0.816	0.816	0.816	0.669
NH <sub>3</sub> -N(t/a)		0.064	0.064	0.357	0.357	0.357	0.293
		0.018	0.018	0.102	0.102	0.102	0.084

	(t/a)		0.082	0.082	0.459	0.459	0.459	0.377
			0.027	0.027	0.153	0.153	0.153	0.126
	VOCs		0.588	0.588	0.951	0.951	0.951	0.363
		(t/a)	0.0028	0.0028	0.011	0.011	0.011	0.008
*		COD						0.4t/a
97.1%		VOCs		0.388t/a				



7

1

Gy


2

3

	4
4.2 4.2.1	MSDS 0.05% 4.2-1

4.2-1

/															(h)	
			(m <sup>3</sup> /h)	(mg/m <sup>3</sup> )	(kg/h)	(t/a)	(%)			(%)	(m <sup>3</sup> /h)	(mg/m <sup>3</sup> )	(kg/h)	(t/a)		
	DA001	VOCs	40000	20.450	0.818	2.944	98%				75%	40000	5.100	0.204	0.736	3600
			/	/	0.017	0.060						/	/	0.017	0.060	
/UV	DA001	VOCs	40000	21.325	0.853	0.256	98%				75%	40000	5.250	5.325	0.213	300
			/	/	0.017	0.005						/	/	/	0.017	
	DA001		40000	0.073	2.92E-03	1.05E-02	98%			+		40000	0.075	0.003	0.011	3600
			/	/	6.53E-05	2.35E-04						/	/	6.53E-05	2.35E-04	
	DA001		40000	2.24E-03	8.94E-05	3.22E-04	80%					40000	0.002	8.94E-05	3.22E-04	3600
			/	/	2.22E-05	8.00E-05						/	/	2.22E-05	8.00E-05	
		VOCs	/	/	1.72E-01	8.60E-02	/	/	/	/	0	/	/	1.72E-01	8.60E-02	500



4.2-2 SMT

	(t/a)	VOCs		VOCs (t/a)
1.1	1.1		84.5%	0
			5%	0
		/	10%	0.11
			0.5%	0
0.1	0.1		53%	0.001
			27%	
			20%	
	1.2	TVOC	/	0.111

VOCs

MSDS

2% 53% VOC 0.001t/a

3.2t

4.2-4

	(t/a)	VOCs		VOCs (t/a)
3.6	3.6	①	49.75%	1.791
			2.68%	0.096
			10.75%	0.387
			10.00%	0.360
	3.6	VOCs	/	2.634

UV

339g/L 0.5t 0.08t VOC  
 Ä m



UV

2t VOCs

MSDS

95%

VOCs

2%

UV

VOC

0.038t/a

VOC

4.2-4

	(t/a)	ò VOCs		VOCs (t/a)
	0.1		60%	0
			10%	0.010
			15%	0
			14%	0
			1.0%	0
	(t/a)	VOC		VOCs (t/a)
	0.1	31g/kg		0.003
	0.2	18g/kg		0.004
	0.5	400g/kg		0.204
	0.9	/		0.311

"

+

"

98%

40000m<sup>3</sup>/h

75%

VOC

10%

2.2.4-2

0.3t VOCs

0.027t/a

0.3t VOC

0.029/a

0.3t

4.2-3

mg/m<sup>3</sup>    kg/h    t/a

98%

80%

"

+

"

40000m<sup>3</sup>/h

4.2-4

		mg/m <sup>3</sup>	kg/h	t/a	t/a	mg/m <sup>3</sup>	kg/h	t/a
		0.075	0.003	0.011	0.000	0.077	0.003	0.011
		-	8.75E-05	3.15E-04	0.000	-	8.75E-05	3.15E-04
		-	-	0.011	0.000	-	-	0.011

3

"

+

"

DA001

40000

20

GB14554-93

4.2-5

4.2-5

		t/a	t/a	t/a
	VOCs	3.351	2.400	0.951
		0.011	0	0.011
	VOCs	3.351	2.400	0.951
		0.011	0	0.011

4.2.2

1h

0%

4.2-8

				/h	/	
		mg/m <sup>3</sup>	kg/h			
DA001	VOCs	41.775	1.671	1	1	

4.2.3

4.2-9

			/m		/m	/m	/		
			X	Y					
DA001		VOCs	271103.46	3330794.45	15	1.0	20		-

4.2.4

4.2.4.1

(1)

/UV

0.3m/s

80%

15

1

"

+


"

4.2-10

			(m <sup>3</sup> /h)			(m <sup>3</sup> /h)	
DA001		8	1000		98%	8000	
	/	20	60		98%	1200	
	UV	9	400		98%	3600	
		26	300		98%	7800	
		15	1200		98%	18000	
			(m <sup>2</sup> )	v m/s		(m <sup>3</sup> /h)	(m <sup>3</sup> /h)
		3	0.1	0.5	1.05	189	567.0
							39167
							40000

(2)

4.2-1



4.2-1


10%

(3)

				HJ1031—2019	"
B.1				"	
			VOCs		
	"	+		"	
					VOCs
				DB33/2146-2018	1
	GB16297-1996				
		-			
BET		350m <sup>2</sup> /g		0.60m/s	
	80%		VOCs		200mg/Nm <sup>3</sup>
		40000m <sup>3</sup> /h			3t
	3	1			
	a				
	b				
	c				
	d				
	e				
	f				
	g				
4.2.5					
					/UV

4.2-1

**4.2.6**



**4.3**

**4.3.1**

4.3-1

4.3-1

/													/(h/a)		
			(m <sup>3</sup> /a)	(mg/L)	(t/a)	(m <sup>3</sup> /d)			(%)		(m <sup>3</sup> /a)	(mg/L)		(t/a)	
	COD <sub>Cr</sub>		10200	350	3.570	/	+		/		500	5.100	500	3600	
				35	0.357				/			35	0.357		35
				50	0.510				10%			45	0.459		45

4.3-2

4.3-2

DW001		120.625989	30.086812	0:00-24:00				GB8978-1996 DB33 887-2013 GB/T31962-2015



90 /

30 t/d

" A/O "

4.3-4

		pH				
	L/S		mg/L	mg/L	mg/L	mg/L
2024/4/16	7251.35	6.12	63.69	0.2034	0.0359	8.184
2024/4/17	6817.32	6.24	69.62	0.1173	0.0386	6.196
2024/4/18	6912.21	6.19	68.41	0.1442	0.0391	8.768
2024/4/19	6849.67	6.16	67.11	0.1326	0.0414	9.834
2024/4/20	6535.07	6.18	71.87	0.1686	0.0455	9.755
2024/4/21	7209.63	6.18	68.98	0.1461	0.0493	11.49
2024/4/22	7302.13	6.13	68.43	0.1358	0.0498	11.739
2024/4/23	7397.85	6.17	69.76	0.1249	0.0676	11.066
2024/4/24	7299.27	6.24	69.42	0.1234	0.065	10.142
2024/4/25	7334.96	6.21	62.15	0.1426	0.0716	9.567
2024/4/26	6367.54	6.26	66.66	0.1597	0.0793	8.812
2024/4/27	6684.57	6.26	66.55	0.1791	0.0708	10.103
2024/4/28	6448.13	6.27	63.91	0.1944	0.0637	9.981
2024/4/29	6588.44	6.32	67.56	0.1855	0.0664	9.674
2024/4/30	6285.59	6.3	63.93	0.184	0.0616	11.524
	/	6~9	80	10	0.5	15
	/					

pH CODcr

**4.4**

**4.4.1**

4.4-1~4.4-2

4.4-1 ( )												
		/dB(A)	/m			/m	L <sub>p1</sub> /dB(A)	TL		/dB(A)	/dB(A)	(m)
			X	Y	Z			/dB(A)	/dB(A)			
1	2F	70	85.7	1.4	8.9	10	47.3		21	26.3	1	
2	3F	70	84.7	6.7	14.1	10	46.2		21	25.2	1	
3	2F	75	81.3	3.1	8.9	10	52.3		21	31.3	1	
4	3F	75	81.5	6.7	14.1	10	51.2		21	30.2	1	
5	2F	75	77.9	3.4	8.9	10	52.3		21	31.3	1	
6	3F	75	77.5	8.0	14.1	10	51.2		21	30.2	1	
7	AOI 2F	75	28.9	11.5	8.9	15	50.5		21	29.5	1	
8	AOI 3F	75	29.1	15.0	14.1	15	51.1		21	30.1	1	
9	2F AOI	75	72.9	3.8	8.9	10	53.4		21	32.4	1	
10	3F AOI	75	79.5	3.6	14.1	10	52.6		21	31.6	1	
11	2F AOI	75	72.6	9.0	8.9	10	53.4		21	32.4	1	
12	3F AOI	75	79.1	8.6	14.1	10	52.6		21	31.6	1	
13	2F	75	99.8	2.0	8.9	5	57.2		21	36.2	1	
14	3F	75	100.1	-6.3	14.1	5	56.8		21	35.8	1	
15	2F	70	37.4	11.4	8.9	15	45.5		21	24.5	1	
16	3F	70	37.9	15.5	14.1	15	46.1		21	25.1	1	
17	1	85	99.7	-0.5	1.0	5	71.4		21	50.4	1	
18	2	85	95.8	-6.6	1.0	5	71.4		21	50.4	1	

19		75	21.0	29.9	20.0	7	58.6	21	37.6	1
20		75	99.9	-0.9	14.5	6	55.6	21	34.6	1
21	2F	75	20.5	12.3	8.9	15	50.5	21	29.5	1
22	3F	75	19.7	18.1	14.1	15	51.1	21		

4.4.2


(HJ2.4-2021)

HJ2.4-2021 A( )

B( ) “B.1 ”

( )

A  $L_{p1}$   $L_{p2}$



$$L_{p2} = L_{p1} - (TL + 6)$$

$$L_{p1} = L_w - 10 \lg \left( \frac{Q}{4\pi r^2} \frac{4}{R} \right)$$

$$R = S / (1 - \alpha)$$

$L_{p2}$  ( ) A dB

$L_{p1}$  ( ) A dB

TL ( ) A dB

$L_w$  (A ) dB

Q Q=1

Q=2 Q=4

Q=8

r m

R

S  $m^2$



4.4-3

		dB(A)	dB(A)	
		51.2	65	
			55	
		47.9	65	
			55	
		32.3	65	
			55	
		37.4	65	
			55	

(GB12348-2008) 3

**4.4.4**

- (1)
- (2)
- (3)
- (4)
- (5)
- (6)

**4.5**

**4.5.1**

(2020.4.29 )

(GB34330-2017)

(2025 )

(GB5085.7-2019)

(

2024 4 )

4.5-1

4.5-1									
						(t/a)			(t/a)
		900-008-S17	PCB		-	160			160
		900-099-S59			-	0.25			0.25
		900-003-S17			-	28.76			28.76
		HW49 900-045-49			T	4			4
		HW49 900-041-49			T/In	0.748			0.748
		HW49 900-039-49			T	14.4			14.4
		HW06 900-404-06			T/In	0.814			0.814
		HW49 900-041-49			T/In	0.2			0.2
	/UV	HW12 900-252-12	UV		T/In	0.774			0.774
		HW13 900-014-13			T	0.52			0.52
					-	60			60

1				
		160t/a		
2				1%
	25t/a	0.25t/a		
3				
			28.76t/a	
4				
	0.1%	25000 /	4t/a	
5				
			0.748t/a	
6				
	1	VOCs	0~200mg/m3	
	40000m <sup>3</sup> /h	3600h/a	-	
			A	
		3t	4 /	
	VOCs	2.337t/a	14.4t/a	
7				

				0.3t/a			
	VOC	10%				0.814t/a	
8							
	1						0.2t/a
9							
	UV		70%			0.774t/a	
10							
							80%
	0.52t/a						
9							
	400				0.5 kg/d		
	60t/a						
	1	30m <sup>2</sup>		1	30m <sup>2</sup>		
1m		1t/m <sup>3</sup>		50%			15t
		21.356t/a		90			
						(	2017
43	)						
				4.5-2			
		4.5-2					
				m <sup>2</sup>			
1							3
2							3
3							3
4				30		15 t	3
5							3
6							3
7							3
<b>4.5.2</b>							

( )

(GB18599-2020)

GB18597-2023

4.5-3

4.5-3

(1)

(2)

(3)

( ) (

[2023]28 )

(1)

(2)

(3)

1

2

3

4



(3)

(4)

(5)

(6)

(7)

**4.5.3**

**4.6**

**4.6.1**

4.6-1

4.6-1

	/					
			COD <sub>Cr</sub>	/		

**4.6.2**

(GB50108-2008)

"

"

1

4.6-2

		Mb 1.5m $10^{-7}$ cm/s	+
		Mb 6m $10^{-7}$ cm/s	2 $10^{-10}$ cm/s



4.6-1

1F



4.6-2

2F



4.6-3

3F



4.6-3

4F

2

4.6-2

**4.7**

**4.7.1**

1

4.7-1

4.7-1

1		
2		

2

HJ169-2018

C.1.2

**4.7.2**

56

7

3.5

**4.7.3**

**4.7.3.1**

I II III IV/VI<sup>+</sup>

4.7-2

(E)	(P)			
	(P1)	(P2)	(P3)	(P4)
(E1)	IV <sup>+</sup>	IV	III	III
(E2)	IV	III	III	II
(E3)	III	III	II	I
IV <sup>+</sup>				

**4.7.3.2**

(P)

(1)

(Q)

Q

$$Q \frac{q1}{Q1} \frac{q2}{Q2} \dots \frac{qn}{Qn}$$

q1 q2...qn—

t

Q1 Q2...Qn—

t

Q 1

I

Q 1

Q

(1)1 Q 10 (2)10 Q 100 (3)Q 100

Q

4.7-3

4.7-3

		(t)	(t)	Q	
1		15	50	0.160	
2		0.04	10	0.004	
3					
4		0.004	0.25	0.016	

5			0.0004	0.25	0.0016	
6		N N-	0.03	5	0.006	
Q					0.187	

Q 0.187<1 I

**4.7.4**

4.7-4

4.7-4

	IV IV+	III	II	I
				a
a				
A				

**4.7.5**

**4.7.5.1**

4.7.5

4.7.5

			%(V/V)		
	30	145	1.3~13.1		LD50 15000mg/kg LD50 3160mg/kg LD50 5000mg/kg LD50 8532mg/kg 10000mg/kg

**4.7.6**

**4.7.6.1**



**4.7.8**

**4.8**

4.8-1

4.8-1

		( )
		10
	" + "	1 50
		20
		10
		<b>90</b>

90

4034.71

2.2%

**4.9**

(2019 )

(HJ 819-2017)

(HJ1031-2019)

4.9-1

DA001	VOCs	1 /	(HJ1031-2019)

		VOCs	1 /		(HJ1031-2019)	
4.9-2						
		(GB12348-2008)3	Leq(A)	6:00~22:00 22:00~6:00	/ 1	

	( )/			
	DA001	VOCs	/ + "	DB33/2146-2018 GB16297- 1996
	DW001	CODcr	+	(GB8978-1996) (DB33/ 887-2013)  ( [2017]57 )
			1)  2) 3) 4)  5)	GB12348-2008
	/	/	/	/
		1 30m <sup>2</sup>		
		1 30m <sup>2</sup> "		"

	”			“
		/		
1			(2019 ) ( 11 )	
	5-1		(2019 ) ( )	
			39	
89	397	391	10	*
	398			
	399			
		(	736 )	
2	”	”	”	”
			”	”
			”	”

	3		"	
			"	
	( )			
	( )			
	( )	5		20
	4			
	5			

2500

56

7

“

”

	(t/a)	0.588	0.588		0.951	0.588	0.951	+0.363
	(t/a)	0.003	0.003		0.011	0.003	0.011	+0.008
	( t/a)	0.183	0.183		1.02	0.183	1.02	+0.837
	COD <sub>Cr</sub> (t/a)	0.147	0.147		0.816	0.147	0.816	+0.669
	(t/a)	0.018	0.018		0.102	0.018	0.102	+0.084
	(t/a)	0.027	0.027		0.153	0.027	0.153	+0.126
	(t/a)	4.2			160	4.2	160	+155.8
	(t/a)				0.25		0.25	+0.25
	(t/a)	8.3			28.76	8.3	28.76	+20.46
	(t/a)				0.748		0.748	+0.748
	(t/a)				14.4		14.4	+14.4
	(t/a)				0.814		0.814	+0.814
	(t/a)				4		4	+4
	(t/a)				0.2		0.2	+0.2
	(t/a)				0.774		0.774	+0.774
	(t/a)				0.52		0.52	+0.52
	(t/a)	14.4			60	14.4	60	+45.6

= + + - = -